EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	((koto and kazuhiro).in. or (nishimura and tadaharu).in.) and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:39
L2	0	(floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and integer$1 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:40
L3	3	(floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:52
L4	87518	map$1.ti,clm,ab. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:58
L5	18138	4 and value$1 and point$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:51
L6	4038	(integer$1 or (fix$3 adj point$1) or fixed-point$1) and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:59
L7	494	(floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and 6 and (convert$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:52
L8	183	(floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and 6 and (convert$3 or conversion).ti,clm,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:53

L9	14	8 and "708"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:55
L10	2	"5682896".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:55
L11	2	"5751611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:55
L12	2	"20010055032"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:58
L13	889	708/200-206.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:32
L14	223	(integer$1 or (fix$3 adj point$1) or fixed-point$1) and (floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:33
L15	110	(convert$3 or conversion).ti,ab,clm. and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:01
L16	22	interpolat$3 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:32

EAST Search History

L17	188	708/204,206.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:33
L18	100	(integer$1 or (fix$3 adj point$1) or fixed-point$1) and (floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:57
L19	92	18 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:33
L20	2	("4910699" | "6477553").PN. OR ("6757700").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 14:53
L21	6431	(GPS or map or navigation) and point$1 and value$1 and @ad<"20030127" and (floating-point$1 or floatingpoint$1 or (float$3 adj point$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:54
L22	4913	(convert$3 or conversion) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:55
L23	3749	(integer$1 or (fix$3 adj point$1) or fixed-point$1) and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:55
L24	1199	23 and interpolat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:55

EAST Search History

L25	408	24 and tag$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:56
L26	12	25 and "708"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:56
L27	222	((integer$1 or (fix$3 adj point$1) or fixed-point$1) near (floating-point$1 or floatingpoint$1 or (float$3 adj point$1))) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:06
L28	108	((floating-point$1 or floatingpoint$1 or (float$3 adj point$1)) adj (integer$1 or (fix$3 adj point$1) or fixed-point$1)) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:58
L29	53	(ISB or (least adj significant)) and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:05
L30	152	708/204.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:05
L31	50	((integer$1 or (fix$3 adj point$1) or fixed-point$1) near (floating-point$1 or floatingpoint$1 or (float$3 adj point$1))) and 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:06
L32	2	interpolat$3 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:06

Google

| convert map data to floating point   [Search]   Advanced Search
                                                           Preferences

---

Web   Results **1** - **10** of about **1,040,000** for <u>convert **map** **data** to **floating point**</u>. (**0.19** seconds)

<u>Analog Devices : Embedded Processing & DSP : Technical Support ...</u>
The **data** may not be **floating-point data** and performing arithmetic on such ...... may not
correctly **convert** a sequence of characters to **floating point** if the ...
www.analog.com/processors/cda/epTASearchResult/0,3001,,00.html - 652k -
<u>Cached</u> - <u>Similar pages</u>

[PDF] <u>DMDF Reader</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
The Digital **Map Data** Format (DMDF) Reader module allows the Feature .... Range:
Floating point number. Default: No Default. dmdf_horizontal_scale ...
www.safe.com/reader_writerPDF/dmdf.pdf - <u>Similar pages</u>

<u>Using NDFD gridded **data** in a GIS Environment (Shapefiles and ...</u>
Using the NDFD **data** in a GIS gives the flexibility to deal with either Raster versions of the
NDFD grids (**floating point** grids), or vector versions (ESRI ...
www.weather.gov/ndfd/gis/ndfd_GIS_tutorial.html - 30k - <u>Cached</u> - <u>Similar pages</u>

<u>Copying between different database record formats (FMTOPT parameter)</u>
You can use FMTOPT(*MAP) to **map data** between fixed-length and ... **Convert**
System/370 **floating point** and null fields To copy **floating point** fields and null ...
publib.boulder.ibm.com/infocenter/iseries/v5r4/topic/dm/rbal3copydbmbrfmt.htm - 18k -
<u>Cached</u> - <u>Similar pages</u>

<u>**Floating point** and integer **data**</u>
Reasons to **convert** from **floating-point data** ... For example, at the Raster Calculator or in
the Single Output **Map** Algebra tool, type: ...
webhelp.esri.com/.../body.cfm?tocVisable=1&ID=2932&TopicName=**Floating**%20**point**%
20and%20integer%20**data** - 11k - <u>Cached</u> - <u>Similar pages</u>

<u>Generating Synthetic Stereo and Range **Data**</u>
The depth2disp program will correctly **convert** a GIL depth **map** into a GIL ... format doesn't
support multiple images (it's just a raw **floating point** format). ...
vasc.ri.cmu.edu/old_help/Misc/Synthetic/synthetic.html - 9k - <u>Cached</u> - <u>Similar pages</u>

<u>**Floating-Point** Instruction Set</u>
Maps the true result to the nearest of two representable results, ... **Floating-point** move
instructions move **data** between **floating-point** registers. ...
h30097.www3.hp.com/docs/base_doc/
DOCUMENTATION/V40D_HTML/APS31DTE/DOCU_010.HTM - 63k -
<u>Cached</u> - <u>Similar pages</u>

<u>New features in gstat</u>
map2gif [create gif from **map**] (needs gd gif library from http://www.boutell.com/gd/);
convert [**convert map** formats]; cover [combine non-missing valued areas ...
www.gstat.org/html/whatsnew-2.0g.html - 5k - <u>Cached</u> - <u>Similar pages</u>

<u>r.mapcalc</u>
The # operator can be used to either **convert map** category values to their grey ... F means
that the functions always results in a **floating point** value, ...
skagit.meas.ncsu.edu/~helena/gmslab/grassman5/html/r.mapcalc.html - 19k -
<u>Cached</u> - <u>Similar pages</u>

<u>HTML Help for ISIS2VIC</u>
All other other output **data** types are **convert** to the ISIS **floating point** ... to read and
convert the ISIS **map** label and thus this error will be avoided. ...

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **<u>Next</u>**

Try <u>Google Desktop</u>: search your computer as easily as you search the web.

---

convert map data to floating point   │ Search │

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

Google

| convert map data to floating point | Search | Advanced Search
Preferences |

Web   Results **1 - 10** of about **1,040,000** for <u>convert</u> **map** <u>data</u> to <u>floating point</u>. (**0.19** seconds)

Analog Devices : Embedded Processing & DSP : Technical Support ...
The **data** may not be **floating-point data** and performing arithmetic on such ...... may not
correctly **convert** a sequence of characters to **floating point** if the ...
www.analog.com/processors/cda/epTASearchResult/0,3001,,00.html - 652k -
Cached - Similar pages

[PDF] DMDF Reader
File Format: PDF/Adobe Acrobat - View as HTML
The Digital **Map Data** Format (DMDF) Reader module allows the Feature .... Range:
Floating point number. Default: No Default. dmdf_horizontal_scale ...
www.safe.com/reader_writerPDF/dmdf.pdf - Similar pages

Using NDFD gridded **data** in a GIS Environment (Shapefiles and ...
Using the NDFD **data** in a GIS gives the flexibility to deal with either Raster versions of the
NDFD grids (**floating point** grids), or vector versions (ESRI ...
www.weather.gov/ndfd/gis/ndfd_GIS_tutorial.html - 30k - Cached - Similar pages

Copying between different database record formats (FMTOPT parameter)
You can use FMTOPT(*MAP) to **map data** between fixed-length and ... **Convert**
System/370 **floating point** and null fields To copy **floating point** fields and null ...
publib.boulder.ibm.com/infocenter/iseries/v5r4/topic/dm/rbal3copydbmbrfmt.htm - 18k -
Cached - Similar pages

Floating point and integer **data**
Reasons to **convert** from **floating-point data** ... For example, at the Raster Calculator or in
the Single Output **Map** Algebra tool, type: ...
webhelp.esri.com/.../body.cfm?tocVisable=1&ID=2932&TopicName=**Floating**%20**point**%
20and%20integer%20**data** - 11k - Cached - Similar pages

Generating Synthetic Stereo and Range **Data**
The depth2disp program will correctly **convert** a GIL depth **map** into a GIL ... format doesn't
support multiple images (it's just a raw **floating point** format). ...
vasc.ri.cmu.edu/old_help/Misc/Synthetic/synthetic.html - 9k - Cached - Similar pages

Floating-Point Instruction Set
Maps the true result to the nearest of two representable results, ... **Floating-point** move
instructions move **data** between **floating-point** registers. ...
h30097.www3.hp.com/docs/base_doc/
DOCUMENTATION/V40D_HTML/APS31DTE/DOCU_010.HTM - 63k -
Cached - Similar pages

New features in gstat
map2gif [create gif from **map**] (needs gd gif library from http://www.boutell.com/gd/);
convert [**convert map** formats]; cover [combine non-missing valued areas ...
www.gstat.org/html/whatsnew-2.0g.html - 5k - Cached - Similar pages

r.mapcalc
The # operator can be used to either **convert map** category values to their grey ... F means
that the functions always results in a **floating point** value, ...
skagit.meas.ncsu.edu/~helena/gmslab/grassman5/html/r.**mapcalc**.html - 19k -
Cached - Similar pages

HTML Help for ISIS2VIC
All other other output **data** types are **convert** to the ISIS **floating point** ... to read and
convert the ISIS **map** label and thus this error will be avoided. ...

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Try <u>Google Desktop</u>: search your computer as easily as you search the web.

---

convert map data to floating point | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

| mappoint and map values   [Search]   Advanced Search
                                                Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Groups   Results **1 - 10** of about **221,000** for **mappoint and map values**. (0.34 seconds)

Access the **values** of Lat/Long the **map** is centered on - **MapPoint** Forums
Is there a way to access the **values** of Latitude and Longitude that the **map** is currently
centered on via VBA? These **values** are shown in the "Find" window **...**
www.**map**forums.com/access-**values**-lat-long-**map**-centered-2087.html - 35k -
Cached - Similar pages

SHOW DIGITS (of **values**) ON **MAP** ADDI TO THE SYMBOLS ...
show the **values** in form of its digits on **maps** additional to symbols **... Values** instead of
pushpins, jojooboo, **MapPoint** Discussion, 1, 03-17-2004 01:58 PM **...**
www.**map**forums.com/show-digits-**values**-**map**-addi-symbols-4110.html - 30k -
Cached - Similar pages
[More results from www.mapforums.com]

Adding a Buffer Around a **MapPoint** Web Service **Map**
Most of the stock icons provided by **MapPoint** Web Service for use on **maps** are **....** The
lower the **value** you use as a divisor, the larger the buffer around **...**
msdn2.microsoft.com/en-us/library/ms980205.aspx - 22k - Cached - Similar pages

Serving and Modifying **MapPoint** Web Service **Map** Images
<appSettings> <add key="DSN" **value**="**MapPoint**.NA"/> <add key="W" **value**="400"/>
<add key="H" **value**="300"/> </appSettings>. We can then get the same **map** by **...**
msdn2.microsoft.com/en-us/library/ms980711.aspx - 41k - Cached - Similar pages
[More results from msdn2.microsoft.com]

Mapping Data Using Microsoft **MapPoint**
MapPoint will use the **values** found in that first row when drawing the **map**, and those
values need to be things – like name, city, and state – that **MapPoint ...**
www.microsoft.com/technet/scriptcenter/webcasts/sweek3/wednesday.mspx - 18k -
Cached - Similar pages

Customize Outlook's **Map** link
To use MapQuest, use this URL as the data **value**: http://www.mapquest.com/**maps/map**.
adp?address=<0s>&city=<1s>&state=<2s>&zip=<3s>. For **MapPoint**, enter: **...**
www.outlook-tips.net/howto/display**map**.htm - 21k - Cached - Similar pages

About data **map** types
The larger the circle at a given location, the higher the **value** represented. For example, this
map was created using data from the **MapPoint** Tutorial and **...**
msdn.microsoft.com/archive/en-us/**mappoint**2004/BIZDataMapTypes.asp?frame=true - 20k
- Cached - Similar pages

MapPoint: Currency **Values** Are Not Displayed Properly on the **Map**
If you use Microsoft **MapPoint** to **map** currency **values**, the **values** may not be displayed
properly on the **map**. This behavior can occur if you do not format the **...**
support.microsoft.com/kb/256613/en-gb - Similar pages

Currency **values** do not appear correctly on the **map** if you use ...
If you use Microsoft **MapPoint** or Microsoft Streets and Trips to **map** currency **values**, the
values may not appear correctly on the **map**.
support.microsoft.com/kb/256613 - Similar pages

The CPAN Search Site - search.cpan.org
$object->set_CustomLogEntry($**value**) $object->set_CultureName($**value**) ... Sample code

for generating Image **map** from **Mappoint** 2.0 responses. ...
search.cpan.org/~cgarcia/WebService-**Mappoint**-0.30/**Mappoint**.pm - 19k -
Cached - Similar pages

Google Groups results for **mappoint and map values**

ViewByBoundingRectangle bug - 2 years... still ... - microsoft.public.mappoint.webs ... - Nov 21, 2005
ViewByBoundingRectangle bug - 2 years... still waiting ... - microsoft.public.mappoint.webs ... - Nov 18, 2005
Wrong **values** for ByBoundingRectangle with GetMap. - microsoft.public.mappoint.webs ... - Aug 10, 2006

Download Google Pack: free essential software for your PC

| mappoint and map values | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

IEEE Xplore® RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Edit an existing query or compose a new query in the Search Query Display.

Tue, 19 Jun 2007, 1:45:49 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries		Results
#1	(nishimura t.<in>au)	296
#2	(((map data) <and> conversion)<in>metadata)	9
#3	(((map data) <and> conversion)<in>metadata)	9
#4	(((((map data) <and> conversion)<in>metadata))<AND> (integer<in>metadata))	0
#5	(((map data) <and> conversion)<in>metadata)	9
#6	(((map data) <and> (map point))<in>metadata)	0

Indexed by
ṃ Inspec

IEEE Xplore® RELEASE 2.3

☐ Search Results

BROWSE　　　　SEARCH　　　　IEEE XPLORE GUIDE　　　　SUPPORT

Results for "(nishimura t.<in>au)"
Your search matched **296** of **1589326** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail　🖨 printer friendly

» **Search Options**

Underline View Session History

New Search

☐ Check to search only within this results set

Modify Search

(nishimura t.<in>au)　　　　　　　　　　　　　　　　　　　　　　　**Search** ➤

Display Format:　　⊙ Citation　　○ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[view selected items]　　**Select All Deselect All**　　　　View: **1-25** | 26-50 | 51-75 | 76-100

☐ 1. **FreeWalk: a 3D virtual space for casual meetings**
Nakanishi, H.; Yoshida, C.; Nishimura, T.; Ishida, T.;
Multimedia, IEEE
Volume 6, Issue 2, April-June 1999 Page(s):20 - 28
Digital Object Identifier 10.1109/93.771370

AbstractPlus | References | Full Text: PDF(508 KB)　IEEE JNL
Rights and Permissions

☐ 2. **A New Approach to Estimation of Initial Conditions and Smoothing Problems**
Nishimura, T.;
Aerospace and Electronic Systems, IEEE Transactions on
Volume AES-5, Issue 5, Sept. 1969 Page(s):828 - 836
Digital Object Identifier 10.1109/TAES.1969.309881

AbstractPlus | Full Text: PDF(1489 KB)　IEEE JNL
Rights and Permissions

☐ 3. **Worst Error Performance of Continuous Kalman Filters**
Nishimura, T.;
Aerospace and Electronic Systems, IEEE Transactions on
Volume AES-11, Issue 2, March 1975 Page(s):190 - 194
Digital Object Identifier 10.1109/TAES.1975.308057

AbstractPlus | Full Text: PDF(608 KB)　IEEE JNL
Rights and Permissions

☐ 4. **Jitter reduction of a digital phase-locked loop**
Yamashita, M.; Tsuji, T.; Nishimura, T.; Murata, M.; Namekawa, T.;
Proceedings of the IEEE
Volume 64, Issue 11, Nov. 1976 Page(s):1640 - 1641

AbstractPlus | Full Text: PDF(255 KB)　IEEE JNL
Rights and Permissions

☐ 5. **Japanese deep-space station with 64-m-diameter antenna fed through beam waveguides and its mission applications**
Hayashi, T.; Nishimura, T.; Takano, T.; Betsudan, S.-I.; Koshizaka, S.;
Proceedings of the IEEE
Volume 82, Issue 5, May 1994 Page(s):646 - 657
Digital Object Identifier 10.1109/5.284732

AbstractPlus | Full Text: PDF(1020 KB)　IEEE JNL
Rights and Permissions

☐ 6. **Kink and power saturation of 660-nm AlGaInP laser diodes**
Yoshida, Y.; Sasaki, M.; Shibata, K.; Kawazu, Z.; Ono, K.-I.; Nishiguchi, H.; Yagi, T.; Nishimura, T.;

AbstractPlus | References | Full Text: PDF(424 KB)   IEEE JNL
Rights and Permissions

7. **Fabrication of an optical directional coupler of CdTe by electron beam lithography and ion etching**
Nishimura, T.; Aritome, H.; Namba, S.;

AbstractPlus | Full Text: PDF(1520 KB)   IEEE JNL
Rights and Permissions

8. **Room temperature pulsed oscillation of GaAlAs/GaAs surface emitting junction laser**
Iga, K.; Shin Ishikawa; Ohkouchi, S.; Nishimura, T.;

AbstractPlus | Full Text: PDF(2136 KB)   IEEE JNL
Rights and Permissions

9. **Extremely small-chirp electroabsorption-modulator integrated distributed feedback laser diode with a shallow quantum-well absorption layer**
Miyazaki, Y.; Tada, H.; Aoyagi, T.; Nishimura, T.; Mitsui, Y.;

AbstractPlus | References | Full Text: PDF(284 KB)   IEEE JNL
Rights and Permissions

10. **Eye-opening improved electroabsorption modulator/DFB laser diode with optimized thickness of the separate-confinement heterostructure layers**
Miyazaki, Y.; Ishimura, E.; Aoyagi, T.; Tada, H.; Matsumoto, K.; Takiguchi, T.; Shimizu, K.; Noda, M.; Mizuochi, T.; Nishimura, T.; Omura, E.;

AbstractPlus | References | Full Text: PDF(216 KB)   IEEE JNL
Rights and Permissions

11. **High-power 660-nm laser diodes for recordable dual layer DVDs**
Shibata, K.; Yoshida, Y.; Sasaki, M.; Ono, K.; Horie, J.-I.; Yagi, T.; Nishimura, T.;

AbstractPlus | Full Text: PDF(248 KB)   IEEE JNL
Rights and Permissions

12. **Reduction of vibration and acoustic noise in induction motor driven by three phase PWM AC chopper using static induction transistors**
Nishimura, T.; Nakaoka, M.; Maruhashi, T.;

AbstractPlus | Full Text: PDF(1080 KB)   IEEE JNL
Rights and Permissions

13. **Measurement and visualization of three-dimensional radial and vectored magnetic field distribution by use of the magnetic CT method**
Nishimura, T.; Miyamoto, Y.; Yamada, S.; Iwahara, M.;

AbstractPlus | Full Text: PDF(336 KB)   IEEE JNL

14. **Optimum structure of CT probe and spectral components in 2-D magnetic field visualization based on the magnetic CT method**
Nishimura, T.; Miyamoto, Y.; Yamada, S.; Iwahara, M.;
Magnetics, IEEE Transactions on
Volume 41, Issue 10, Oct. 2005 Page(s):3637 - 3639
Digital Object Identifier 10.1109/TMAG.2005.855175

AbstractPlus | Full Text: PDF(448 KB)   IEEE JNL

15. **A widely tunable SOA-integrated DBR laser by combination of sampled and superstructure gratings**
Gotoda, M.; Nishimura, T.; Tokuda, Y.;
Lightwave Technology, Journal of
Volume 23, Issue 7, July 2005 Page(s):2331 - 2336
Digital Object Identifier 10.1109/JLT.2005.850039

AbstractPlus | Full Text: PDF(416 KB)   IEEE JNL

16. **SOI/SOI/Bulk-Si triple-level structure for three-dimensional devices**
Sugahara, K.; Nishimura, T.; Kusunoki, S.; Akasaka, Y.; Nakata, H.;
Electron Device Letters, IEEE
Volume 7, Issue 3, Mar 1986 Page(s):193 - 195

AbstractPlus | Full Text: PDF(384 KB)   IEEE JNL

17. **A three-dimensional static RAM**
Inoue, Y.; Sugahara, K.; Kusunoki, S.; Nakaya, M.; Nishimura, T.; Horiba, Y.; Akasaka, Y.; Nakata, H.;
Electron Device Letters, IEEE
Volume 7, Issue 5, May 1986 Page(s):327 - 329

AbstractPlus | Full Text: PDF(400 KB)   IEEE JNL

18. **A device structure and spatial spectrum for checker-pattern CCD color camera**
Ochi, S.; Yamanaka, S.; Kanoh, Y.; Nishimura, T.;
Electron Devices, IEEE Transactions on
Volume 25, Issue 2, Feb 1978 Page(s):261 - 266

AbstractPlus | Full Text: PDF(904 KB)   IEEE JNL

19. **VB-7 crosstalk between circuit signals in 3-D structure**
Akasaka, Y.; Nishimura, T.; Nakata, H.;
Electron Devices, IEEE Transactions on
Volume 32, Issue 11, Nov 1985 Page(s):2550 - 2550

AbstractPlus | Full Text: PDF(184 KB)   IEEE JNL

20. **New Method in Fabrication of Tantalum Thin-Film Integrated Circuits**
Miwa, I.; Nishimura, T.;
Parts, Materials and Packaging, IEEE Transactions on
Volume 1, Issue 1, Jun 1965 Page(s):285 - 289

AbstractPlus | Full Text: PDF(680 KB)   IEEE JNL

21. **Operational analysis of finite-pulsed sampled-data systems**
Nishimura, T.;
Automatic Control, IRE Transactions on
Volume 6, Issue 3, Sep 1961 Page(s):344 - 346

AbstractPlus | Full Text: PDF(296 KB)   IEEE JNL

22. On the modifiedz-transform of power spectral densities
Nishimura, T.;
Automatic Control, IRE Transactions on
Volume 7, Issue 4, Jul 1962 Page(s):55 - 56

AbstractPlus | Full Text: PDF(240 KB)   IEEE JNL
Rights and Permissions

23. A Device Structure and Spatial Spectrum for Checker-Pattern CCD Color Camera
Ochi, S.; Yamanaka, S.; Kanoh, Y.; Nishimura, T.;
Solid-State Circuits, IEEE Journal of
Volume 13, Issue 1, Feb 1978 Page(s):187 - 192

AbstractPlus | Full Text: PDF(960 KB)   IEEE JNL
Rights and Permissions

24. A bipolar 18K-gate variable size cell masterslice
Nishimura, T.; Sato, H.; Tatsuki, M.; Hirao, T.; Kuramitsu, Y.;
Solid-State Circuits, IEEE Journal of
Volume 21, Issue 5, Oct 1986 Page(s):727 - 732

AbstractPlus | Full Text: PDF(936 KB)   IEEE JNL
Rights and Permissions

25. Superconducting electromagnetic actuators for astronomical Fabry-Perot interferometers
Nishimura, T.; Low, F.; Shivanandan, K.;
Magnetics, IEEE Transactions on
Volume 21, Issue 2, Mar 1985 Page(s):451 - 454

AbstractPlus | Full Text: PDF(456 KB)   IEEE JNL
Rights and Permissions

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
ṁ Inspec°

Welcome United States Patent and Trademark Office

☐ Author Search

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Select a name to view articles written by that author

⊕ **OPTION 1**
Quick Find an Author:
Enter a name to locate articles written by that author.

| nishimura | ⏩ |

Example: Enter Lockett S to obtain a list of authors with the last
name Lockett and the first initial S.

⊕ **OPTION 2**
Browse alphabetically

Select a letter from the list.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Nishimura, A.	Nishimura, Aki	Nishimura, Asao
Nishimura, B.H.	Nishimura, C.	Nishimura, D.
Nishimura, D.G.	Nishimura, Dwight G.	Nishimura, E.
Nishimura, F.	Nishimura, G.	Nishimura, H.
Nishimura, Hideo	Nishimura, Hironobu	Nishimura, I.
Nishimura, Itsuro	Nishimura, J.	Nishimura, J.-I.
Nishimura, Jun	Nishimura, K.	Nishimura, K.-I.
Nishimura, K.A.	Nishimura, Keizou	Nishimura, Koichi
Nishimura, M.	Nishimura, Michiaki	Nishimura, N.
Nishimura, O.	Nishimura, R.	Nishimura, S.
Nishimura, T.	Nishimura, T.B.	Nishimura, T.H.
Nishimura, Toshihiko	Nishimura, Toshihiro	Nishimura, Toshimichi
Nishimura, Toshiyuki	Nishimura, Y.	Nishimura, Y..

Indexed by
Inspec

Select a name to view articles written by that author

OPTION 1
Quick Find an Author:
Enter a name to locate articles written by that author.

| koto | » |

Example: Enter Lockett S to obtain a list of authors with the last
name Lockett and the first initial S.

OPTION 2
Browse alphabetically

Select a letter from the list.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A Khan, S.	A Min Tjoa	A Tavora, A.S.
A'Hearn, K.	A'Ni Dong	A'Ortendahl, D.
A'ain, A.K.B.	A'ain, A.Kb.	A'ain, Abu Khari Bin
A, J.L.C.	A, S.	A-Bary, H.
A-Buraiky, S.	A-Chang Hsu	A-Cheng Wu
A-Firna, T.	A-Khatib, M.M.	A-Megeed, M.
A-Nasser Ansari	A-Ning Du	A-Ping Zhang
A-Rahim, A.A.	A-Rum Jun	A-Shamsi, S.
A-Xin Nie	A-Yeon Park	A. A. Borisov
A. A. Plotnikov	A. Abaye	A. Abbaspour-Tamijani
A. Abdelmonem	A. Abdi	A. Abdulaziz
A. Abou-Elnour	A. Abramson	A. Abu-Baker
A. Accard	A. Acero	A. Adami
A. Adamiecki	A. Adamko	A. Adib
A. Aegerter	A. Afonso	A. Agah
A. Agarwal	A. Aggoun	A. Aghagolzadeh
A. Agrawal	A. Ahmad	

Help   Contact Us   Privacy & Security   IEEE.org

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
Inspec